


BOILPEAK SEALS



RUBBER WASHER

Rubber Washer

Rubber washers are flat, disc-shaped components with a central hole, designed to distribute loads, seal joints, reduce vibration, and prevent leakage. They are essential in a wide range of industries, including plumbing, automotive, electrical, and machinery.

Key Features:

- **Excellent Sealing Performance:**

Rubber washers provide a tight, leak-proof seal against liquids, gases, dust, and contaminants.

- **Vibration Damping & Noise Reduction:**

They effectively absorb shock and dampen vibrations, protecting components and improving operational stability.

- **Corrosion & Chemical Resistance:**

Made from high-quality elastomers such as NBR, EPDM, Silicone, FKM, and Neoprene, they withstand exposure to oils, chemicals, ozone, and extreme temperatures.

- **Flexible & Durable:**

Rubber washers maintain their elasticity and integrity over prolonged use, offering reliable performance in demanding environments.



Applications:

- ◇ Plumbing systems – sealing pipe joints and faucets
- ◇ Automotive assemblies – cushioning and vibration isolation
- ◇ Electrical enclosures – insulation and dust prevention
- ◇ Appliances and machinery – load distribution and sealing

Contact us to discuss your requirements or request samples!



Washer Standard Size(Metric)



ID	OD	H	ID	OD	H	ID	OD	H	ID	OD	H	ID	OD	H	ID	OD	H
5	9	1	12	16	1	19	23	1	32	36	1	46	50	1	75	83	2
5	13	2	12	20	2	19	27	2	32	40	2	46	54	2	75	87	3
5	17	3	12	24	3	19	31	3	32	44	3	46	58	3	75	91	4
5	21	4	12	28	4	19	35	4	32	48	4	46	62	4	75	99	6
6	10	1	13	17	1	20	24	1	34	38	1	48	52	1	80	88	2
6	14	2	13	21	2	20	28	2	34	42	2	48	56	2	80	92	3
6	18	3	13	25	3	20	32	3	34	46	3	48	60	3	80	96	4
6	22	4	13	29	4	20	36	4	34	50	4	48	64	4	80	104	6
7	11	1	14	18	1	22	26	1	36	40	1	50	58	2	85	93	2
7	15	2	14	22	2	22	30	2	36	44	2	50	62	3	85	97	3
7	19	3	14	26	3	22	34	3	36	48	3	50	66	4	85	101	4
7	23	4	14	30	4	22	38	4	36	52	4	50	74	6	85	109	6
8	12	1	15	19	1	24	28	1	38	42	1	55	63	2	90	98	2
8	16	2	15	23	2	24	32	2	38	46	2	55	67	3	90	102	3
8	20	3	15	27	3	24	36	3	38	50	3	55	71	4	90	106	4
8	24	4	15	31	4	24	40	4	38	54	4	55	79	6	90	114	6
9	13	1	16	20	1	26	30	1	40	44	1	60	68	2	95	103	2
9	17	2	16	24	2	26	34	2	40	48	2	60	72	3	95	107	3
9	21	3	16	28	3	26	38	3	40	52	3	60	76	4	95	111	4
9	25	4	16	32	4	26	42	4	40	56	4	60	84	6	95	119	6
10	14	1	17	21	1	28	32	1	42	46	1	65	73	2	100	108	2
10	18	2	17	25	2	28	36	2	42	50	2	65	77	3	100	112	3
10	22	3	17	29	3	28	40	3	42	54	3	65	81	4	100	116	4
10	26	4	17	33	4	28	44	4	42	58	4	65	89	6	100	124	6
11	15	1	18	22	1	30	34	1	44	48	1	70	78	2	100	108	2
11	19	2	18	26	2	30	38	2	44	52	2	70	82	3	100	112	3
11	23	3	18	30	3	30	42	3	44	56	3	70	86	4	100	116	4
11	27	4	18	34	4	30	46	4	44	60	4	70	94	6	100	124	6

C S	0.40	0.50	0.60	0.70	0.80	1.00	1.02	1.27	1.42	1.50	1.53	1.63	1.78	1.80	1.83
W/H	0.37	0.46	0.55	0.65	0.74	0.93	0.95	1.20	1.34	1.42	1.45	1.54	1.68	1.70	1.73

C S	1.90	1.98	2.00	2.08	2.21	2.40	2.46	2.50	2.62	2.65	2.70	2.95	3.00	3.10	3.50
W/H	1.80	1.88	1.90	1.97	2.10	2.29	2.35	2.39	2.50	2.53	2.58	2.82	2.87	2.97	3.37

C S	3.53	3.55	3.60	4.00	4.50	5.00	5.33	5.50	5.70	6.00	6.99	7.00	8.00	8.40	10.00
W/H	3.39	3.41	3.46	3.85	4.34	4.84	5.16	5.33	5.53	5.78	6.73	6.74	7.60	7.98	9.50